Indexes to Corrosion Vol. 62, Nos. 1-12 Title and Book Review Index

January (No. 1)	Improvement of Corrosion Behavior of Aluminum Alloy/
Localized Corrosion Susceptibility of Alloy 22 in Chloride Solutions: Part 2—Effect of Fabrication Processes D.S. Dunn, YM. Pan, L. Yang, and G.A. Cragnolino	Silicon Carbide Composites with Lanthanum Surface Treatments A. Pardo, M.C. Merino, R. Arrabal, F. Viejo, M. Carboneras, and A.E. Coy
Y.H. Kim, G.S. Frankel, J.C. Lippold, and G. Guaytima44	Corrosion Review: "An Introduction to Tissue-Biomaterial
Effect of Syngas Composition on Metal Dusting of Alloy 800H in Simulated Reforming Gas Atmospheres	Interactions," by K.C. Dee, D.A. Puleo, and R. Bizios Reviewed by M. Schorr192
Y. Nishiyama, T. Kudo, and N. Otsuka54	March (No. 3)
Evolution with Exposure Time of Copper Corrosion in a Concentrated Lithium Bromide Solution. Characterization of Corrosion Products by Energy-Dispersive X-Ray Analysis and X-Ray Diffraction M.T. Montañés, V. Pérez-Herranz, J. García-Antón, and J.L. Guiñón	Technical Note: Measuring Corrosiveness with a Dual Galvanic/Surface Film Resistance Sensor R.D. Klassen and P.R. Roberge
Influence of Applied Potential on Cavitation Erosion Behavior of Type 316L Stainless Steel in Sulfuric Acid Solution S.L. Jiang, Y.G. Zheng, S.Z. Luo, and Z.M. Yao	Corrosion Products Formed on Silver After a One-Month Exposure to Urban Atmospheres M. Watanabe, S. Shinozaki, E. Toyoda, K. Asakura, T. Ichino, N. Kuwaki, Y. Higashi, and T. Tanaka243 Experimental and Computational Evaluation of the Protection Provided by an Aluminum Cladding to AA2024-T3 Exposed at a Seacoast Environment F. Cut, F.J. Presuel-Moreno, and R.G. Kelly

Corrosion Review: "Corrosion Tests and Standards: Applications and Interpretation," Second Edition, by R. Baboian	Corrosion Review: "Materials Science and Technology," by R.W. Cahn, P. Haasen, and E.J. Kramer Reviewed by W. Fürbeth	
Reviewed by B. Valdez280	June (No. 6)	
April (No. 4)	Use of Artificial Neural Networks for Predicting Crude Oil	
Effect of Some Pyridine Derivatives on the Corrosion Behavior of Carbon Steel in an Environment Like NACE TM0177 M.A. Veloz and I.G. Martínez	Effect on Carbon Dioxide Corrosion of Carbon Steels S. Hernández, S. Nešić, G. Weckman, and V. Ghai	
Reviewed by S.A. Bradford368	JY. Park and YS. Park541 Corrosion Review: "Impedance Spectroscopy: Theory,	
May (No. 5) Technical Note: Testing of Supermartensitic Stainless	Experiment, and Applications," Second Edition, by E. Barsoukov and J.R. Macdonald	
Steel Welds Under Cathodic Protection at Very Low Strain Rates G. Hinds and A. Turnbull371	Reviewed by K.K. Aligizaki552 July (No. 7)	
Sulfide Stress Cracking Susceptibility of Welded X-60 and X-65 Pipeline Steels C. Natividad, M. Salazar, A. Contreras, A. Albiter, R. Pérez, and J.G. Gonzalez-Rodriguez	Technical Note: Visualization of Stress Corrosion Cracks Emerging from Pits A. Turnbull, S. Zhou, L. Orkney, and N. McCormick 555 Characterization of Rust on Fe-Cr, Fe-Ni, and Fe-Cu Binary Alloys by Fourier Transform Infrared and N ₂ Adsorption T. Ishikawa, A. Maeda, K. Kandori, and A. Tahara 559 Influence of Carbide Precipitation and Rolling Direction on Intergranular Stress Corrosion Cracking of Austenitic Stainless Steels in Hydrogenated High- Temperature Water K. Arioka, T. Yamada, T. Terachi, and G. Chiba	
Pressure Vessel Steels Under Simulated Boiling Water Reactor Conditions Y.Y. Chen, H.C. Shih, L.H. Wang, and J.C. Oung	Study of the Inhibition Mechanism of Imidazolines by Electrochemical Impedance Spectroscopy G. Gusmano, P. Labella, G. Montesperelli, A. Privitera, and S. Tassinari	

C. Schroer, J. Konys, J. Novotny, and J. Hausselt 444

Effect of the Degree of Hydrolysis and Condensation of Bis-[Triethoxysilylpropyl]Tetrasulfide on the Corrosion Protection of Coated Aluminum Alloy 2024-T3 J.S. Gandhi, T.L. Metroke, M.A. Eastman, W.J. van Ooij, and A. Apblett	Methods for Accessing Pitting Damage in Carbon Steel Exposed to Alkaline Chloride Waste Environments M.A. Hill and R.S. Lillard
August (No. 8)	"On the Interpretation of Corrosion Processes Through
Role of Work-Hardened Surface Layer in Initiation of Environmentally Assisted Cracking in High-Temperature Water S. Wang, Y. Takeda, K. Sakaguchi, and T. Shoji	the Superposition of Electrochemical Partial Processes and on the Potential of Mixed Electrodes," with a Perspective by F. Mansfeld C. Wagner and W. Traud
D.W. Shoesmith703	Exposure Sites in Chennai—A Comparative Study
Crack Initiation and Early Propagation of X70 Steel in Simulated Near-Neutral pH Groundwater	M. Natesan, S. Palraj, G. Venkatachari, and N. Palaniswamy
B.T. Lu and J.L. Luo	Threshold Chloride Concentrations of Selected Corrosion- Resistant Rebar Materials Compared to Carbon Steel M.F. Hurley and J.R. Scully892 Pitting Corrosion and its Countermeasures for Pressurized Water Reactor Steam Generator Tubes
September (No. 9)	D.H. Hur, M.S. Choi, D.H. Lee, M.H. Song, and
Electrochemical Behavior of Antimony and Antimony Oxide Films in Acid Solutions S.S. El-Egamy	J.H. Han
Corrosion Behavior of Copper-Phosphorus-Silver Brazing Alloys in Lithium Bromide Solutions A. Valero-Gómez, J. García-Antón, and A. Iqual-Muñoz	F. Cui and A.A. Sagüés
Effect of Black Liquor Oxidation on the Stress Corrosion Cracking Susceptibility of Selected Materials P.E. Hazlewood, P.M. Singh, and J.S. Hsieh	Corrosion Review: "Handbook of Thermal Spray Technology," by J.R. Davs Reviewed by A. Moosavi
Development of Permanganate-Based Coatings	November (No. 11)
on Aluminum Alloy 2024-T3 A.E. Hughes, J.D. Gorman, T.G. Harvey, A. Galassi, and G. McAdam	Discussion: Does Calcareous Scale Formation on Cathodically Protected Steel Affect Hydrogen Uptake? W.H. Hartt
YJ. Kim795	on Exfoliation Corrosion Kinetics of AA7178 X. Zhao and G.S. Frankel956

Influence of Black Annealing Oxide Scale on the Anodic Behavior of Alloy 22 R.B. Rebak, R.A. Etien, S.R. Gordon, and G.O. Ilevbare	2006 W.R. Whitney Award Lecture: Application of Advanced Electrochemical Techniques and Concepts to Corrosion Phenomena M. Keddam
December (No. 12)	J.R. Kish, D.L. Singbeil, and P. Eng
Letter to the Editor: Is the Cost of Corrosion Really Quantifiable?	by M. Xanthos Reviewed by K. Abate1160
M.V. Biezma and J.R. San Cristóbal1051	

Author Index

Abd El Aal, E.E. 121 Abd El Haleem, S.M. 121 Abd-El Nabey, B.A. 293 Abdel-Gaber, A.M. 293 Ahn, J.-H. 13 Akai, Y. 383 Albiter, A. 375 Alonso-Falleiros, N. 1039 Apblett, A. 612 Arioka, K. 74, 568 Arrabal, R. 141 Arshadi, M.R. 199 Arzola, S. 433 Asakura, K. 243 Ayala, A. 950

Baccay, M.A. 811 Bai, Z. 501 Biezma, M.V. 1051 Buckingham, J. 687 Burket, J. 1082

Carboneras, M. 141 Chang, D. 13

Chen, G.Z. 264 Chen, Y.Y. 403, 781 Chiba, G. 568 Chiovelli, S. 657 Choi, M.S. 905 Choi, Y.-S. 522 Chung, H. 13 Contreras, A. 375 Costa, I. 357 Coy, A.E. 141 Cragnolino, G.A. 3 Cui, F. 251, 822, 918

Daigo, Y. 174 Dante, J.F. 687, 1082 Déforge, D. 514 Dick, L.F.P. 35 Dong, Z.H. 264 Du, Y. 483 Dunn, D.S. 3 Duran-Romero, R. 433

Eastman, M.A. 612 El-Egamy, S.S. 739 El-Zayady, A.M. 293 Elboujdaini, M. 29, 316 Eng. P. 1132 Etien, R.A. 967

Fang, B. 316 Franco, C.V. 357 Frankel, G.S. 44, 109, 217, 956 Fujisawa, R. 270

Galassi, A. 773 Gandhi, J.S. 612 García-Antón, J. 64, 751, 1018, 1117

Ghai, V. 467 Gonzalez-Rodriguez, J.G. 375

Genesca, J. 433

Gordon, S.R. 967 Gorman, J.D. 773 Gray, J.J. 491 Guaytima, G. 44 Guiñón, J.L. 64, 1018 Guo, X.P. 264 Gusmano, G. 576

Han, J.H. 591, 905 Hara, N. 383 Hartt, W.H. 162, 584, 947 Hausselt, J. 444 Harvey, T.G. 773 Hayes, J.R. 491 Hazlewood, P.E. 765, 911 Hernández, S. 467 Higashi, Y. 243 Hill, M.A. 801 Hinds, G. 371, 947 Hoffmeister, H. 1092 Hsieh, J.S. 765, 911 Huang, C.-S. 207 Huang, G.-Q. 868 Huet, F. 514 Hughes, A.E. 773 Hur, D.H. 745, 591, 905 Hurley, M.F. 892

Ichino, T. 243 Igual-Muñoz, A. 751, 1117 Ilevbare, G.O. 340, 967 Ishikawa, T. 559 Isobe, T. 174

J

Jakab, M.A. 300 Jiang, S.L. 99 Jiao, G.O. 989

K

Kandori, K. 559 Kawakita, J. 635 Keddam, M. 1056 Keiser, J.R. 624 Kelly, R.G. 251 Kilbane, II, J.J. 950 Kim, J.-G. 522 Kim, Y.H. 44, 109 Kim, Y.-J. 795 Kish, J.R. 624, 1132 Klassen, R.D. 195 Konys, J. 444 Kudo, T. 54 Kunioshi, C.T. 357 Kurata, Y. 270 Kuroda, S. 635 Kus, E. 152 Kuwaki, N. 243

L

Labella, P. 576 Landau, A. 395 Lashgari, M. 199 Lee, D.H. 905 Lee, J.S. 1006 Lee, K.H. 13 Lee, S. 13 Lee, U.C. 591 Lee. Z. 152 Lemieux, E. 162, 584 Li, J. 316 Li, Y. 483 Lillard, R.S. 801 Lin, G. 501 Liou, Y.M. 781 Lippold, J.C. 44, 109 Little, B.J. 1006 Little, D.A. 300 Liu, X. 217 Lu, B.T. 129, 723 Luo, J.L. 129, 723 Luo, S.Z. 99

M

Maeda, A. 559 Maemura, K. 13 Magnabosco, R. 1039 Mansfeld, F. 152, 843, 1067 Martínez, I.G. 283
Maruyama, S. 811
McAdam, G. 773
McCormick, N. 555
McMurray, H.N. 231
Melchers, R.E. 981, 1074
Mendoza-Flores, J. 433
Merino, M.C. 141
Metroke, T.L. 612
Modi, H. 950
Montañés, M.T. 64
Montesperelli, G. 576
Múnez, C.J. 84
Muñoz-Portero, M.J. 1018

N

Nakazawa, S. 13 Natesan, M. 883 Natividad, C. 375 Nešić, S. 419, 467, 598 Neville, A. 657 Nishida, T. 270, 811 Nishimura, K. 270 Nishiyama, Y. 54 Nogueira, R.P. 514 Novotny, J. 444 Nutt, S. 152

0

Olson, D.L. 395 Omura, H. 383 Orkney, L. 555 Orme, C.A. 491 Otero, E. 84 Otsuka, N. 54, 811 Oung, J.C. 403, 781

P

Palaniswamy, N. 883 Palraj, S. 883 Pan, Y.-M. 3 Pardo, A. 141 Park, J.-Y. 541 Park, Y.D. 395 Park, Y.S. 541, 591, 745 Paroni, A.S.M. 1039 Parsafar, Gh.A. 199 Pérez, R. 375 Pérez-Herranz, V. 64, 1018 Perillo, P.M. 182 Perumareddi, J.R. 29 Phaneuf, M.W. 316 Pinkas, M. 395 Ponthiaux, P. 514 Prakash, S. 533, 1028 Presuel-Moreno, F.J. 251

Price, K. 687 Privitera, A. 576

R

Ray, R.I. 1006 Rebak, R.B. 967 Revega, T. 657 Revie, R.W. 316 Reza, F. 657 Roberge, P.R. 195 Rodrigues, L.M. 35 Rokhlin, S.I. 217 Rossi, J.L. 357 Ruzic, V. 419, 598

S

Saadawy, M. 293 Sagüés, A.A. 822, 918 Saito, N. 383 Sakaguchi, K. 651 Sakaihara, M. 270 Salazar, M. 375 San Cristóbal, J.R. 1051 Sastri, V.S. 29, 199 Schmidt, D.P. 323 Schroer, C. 444 Scully, J.R. 300, 892 Shalaby, H.M. 930 Shao, Y. 483 Shaw, B.A. 323 Shaw, W.W. 323 Shih, C.-C. 207 Shih, H.C. 403, 781 Shinozaki, S. 243 Shoesmith, D.W. 703 Shoji, T. 651 Sidahmed, I.M. 293 Sidhu, B.S. 533, 1028 Sidhu, H.S. 1028 Sikora, E. 323 Singbeil, D.L. 624, 1132 Singh, P.M. 765, 911 Song, F.M. 676, 873 Song, M.H. 905 Song, Y.-K. 1067 Sridhar, N. 676, 687, 873, 1082 Staehle, R.W. 74 Sugahara, K. 174

Т

Tahara, A. 559 Takada, T. 383 Takeda, Y. 651 Takemoto, M. 635

Szmodis, A.W. 491

Tanaka, T. 243
Tassinari, S. 576
Terachi, T. 74, 568
Teysseyre, S. 989, 1100
Tormoen, G. 1082
Toyoda, E. 243
Traud, W. 844
Tsuchiya, Y. 383
Turnbull, A. 371, 508, 555, 947

U

Ueda, M. 856 Ureña, A. 84 Utrilla, M.V. 84

V

Valero-Gómez, A. 751, 1117 van Ooij, W.J. 612 Veidt, M. 419, 598 Veloz, M.A. 283 Venkatachari, G. 883 Viejo, F. 141

W

Wagner, C. 844 Wang, F. 483 Wang, L.H. 403, 781 Wang, S. 651 Was, G.S. 989, 1100 Watanabe, M. 243 Watanabe, Y. 174, 270 Weckman, G. 467 Wenger, F. 514 Williams, G. 231

Y

Yamada, T. 74, 568 Yamamura, T. 13 Yang, L. 3 Yang, S.J. 522 Yao, Z.M. 99

Z

Zhao, Y.T. 264 Zheng, M. 501 Zheng, Y.G. 99 Zhou, S. 508, 555 Zhu, X.-R. 868 Zhu, X.Y. 950 Zoofan, B. 217

Zhao, X. 501, 956

2006 Subject Index

Symbols

29Si nuclear magnetic resonance

AA2024-T3 alloy, effect of degree of hydrolysis and condensation of bis-[triethoxysilylpropyl] tetrasulfide on the corrosion protection of coated 612

A

Acetic acid-buffered solution. See also Acids and acid solutions

carbon steel in an environment like NACE TM0177, effect of some pyridine derivatives on the corrosion behavior of 283

Acids and acid solutions. See also Acetic acid-buffered solution; Hydrochloric; Phosphoric acid anodizing; Sulfuric; Sulfuric acid anodizing

damsissa extract on the corrosion of steel in acidic media, effect of temperature on inhibitive action of 293

Adsorption

volatile corrosion inhibitors in real time with surface-enhanced Raman spectroscopy, monitoring the adsorption of 1082

Aging

duplex stainless steel, effects of nitrogen and high-temperature aging on uniform corrosion of 207

nickel-based alloys in supercritical water applications, compatibility of, aging effects on corrosion resistance and mechanical properties 174

Airborne salinity

Fe-Cr, Fe-Ni, and Fe-Cu binary alloys, characterization of rusts by Fourier transform infrared and N₂ adsorption 559

Al 5083

Al 5083 samples, comparison of corrosion behavior of nanocrystalline and conventional 152

Alclad

AA2024-T3 exposed at a seacoast environment, experimental and computational evaluation of the protection provided by an aluminum cladding to 251

Alcohol

light water reactors, evaluation of alternate reductants for application in 795

Alloy 22

Alloy 22, influence of black annealing oxide scale on the anodic behavior of 967 Alloy 22 in chloride solutions, effect of fabrication processes, localized corrosion susceptibility of 3

Alloy 22 in sodium chloride, effect of sulfate on the passive and crevice corrosion properties of 340

high-level nuclear waste containers, assessing the corrosion performance of 703

Alloy 600

Alloy 600, microchemistry of Ticarbonitrides and their role in the early stage of pit initiation of 591

Alloy 600 in chloride solution, effect of temperature on the pitting behavior and passive film characteristics of 745

pressurized water reactor steam generator tubes, pitting corrosion and its countermeasures for 905

Alloy 625

composite tube alloys in a molten sodium sulfide hydrate-sodium hydroxide salt mixture, cracking susceptibility of alternative 624

Alloy 690

light water reactors, evaluation of alternate reductants for application in 795

Alloy 825

composite tube alloys in a molten sodium sulfide hydrate-sodium hydroxide salt mixture, cracking susceptibility of alternative 624

Alloys and alloying. See Alpha-titanium; Aluminum; Antimony; Chromium; Copper; Copper-Phosphorus-Silver; Corrosionresistant; Fe-Cr; Fe-Cu; Fe-Ni; Hydrogen uptake; Lanthanum; Molybdenum; Nanocrystalline aluminum; Ni-Cu; Nickel; Nickelbased; Oxygen; Palladium; Silver; Tantalum; Titanium; Zinc

Alpha-titanium alloys. See αlso Alloys and alloying

high-level nuclear waste containers, assessing the corrosion performance of 703

Alternating current impedance

advanced electrochemical techniques and concepts to corrosion phenomena, application of 1056

Aluminum and aluminum alloys. See also Alloys and alloying

AA2024-T3, in situ x-ray radiographic study of stress corrosion cracking in 217

AA2024-T3 alloy, effect of degree of hydrolysis and condensation of bis-[triethoxysilylpropyl] tetrasulfide on the corrosion protection of coated 612 aluminum alloy 7178, effects of relative humidity, temper, stress on exfoliation corrosion kinetics of 956

permanganate-based coatings on AA2024-T3, development of 773 thermal-sprayed Zn, Al, and Zn-Al

coatings in marine environment, 18-year exposure test of 635

Aluminum/silicon carbide composites

lanthanum surface treatments, improvement of corrosion behavior of aluminum/silicon carbide composites with 141

Amorphous films. See also Films and film formation

Alloy 600 in chloride solution, effect of temperature on the pitting behavior and passive film characteristics of 745

Anaerobic

mild steel under marine anaerobic conditions, pitting corrosion of, experimental observations 981

mild steel under marine anaerobic conditions, pitting corrosion of, statistical representation of maximum pit depth 1074

Anodes. See also Galvanic; Sacrifi-

corrosion processes through superposition of electrochemical partial processes and on potential of mixed electrodes, interpretation of, Classic Paper Series 843

Anodic polarization

steel corrosion under a disbonded coating due to oxygen with/without cathodic protection, two-dimensional model, model simplification for practical application 873

Antimony and antimony alloys. See also Alloys and alloying

antimony and antimony oxide films in acid solutions, electrochemical behavior of 739

API 5LX65

API 5LX65 steel, influence of humic substances on the corrosion of the 35

Applied potential

Type 316L stainless steel in sulfuric acid solution, influence of applied potential on cavitation erosion behavior of 99

Aqueous corrosion

binary nickel-chromium alloys under conditions found in supercritical water oxidation plants processing chlorinated substances, aspects of the corrosion kinetics for 444 Arrhenius principle

rate of corrosion of steel in concrete exposed to carbonation, influence of cement type and temperature on the 811

Artificial neural networks

carbon dioxide corrosion of carbon steels, use of artificial neural networks for predicting crude oil effect on 467

Artificial seawater

cathodically protected steel, does calcareous scale formation affect hydrogen uptake, discussion/reply 947

ASTM G109

corrosion-resistant rebar materials compared to carbon steel, threshold chloride concentrations of selected 892

Atmospheric corrosion

atmospheric corrosion of engineering materials at two exposure sites in Chennai, a comparative study 883

silver after a one-month exposure to urban atmospheres, corrosion products formed on 243

Atmospheric corrosiveness

dual galvanic/surface film resistance sensor, measuring corrosiveness with a 195

Auger electron spectroscopy

Alloy 600, microchemistry of Ticarbonitrides and their role in the early stage of pit initiation of 591

Austenitic stainless steel. See also by name; by type; by UNS number; Stainless steel

austenitic stainless steels in hydrogenated high-temperature water, influence of grain boundary chemistry on intergranular stress corrosion cracking of 74

Austenitizing

14Cr-3Mo martensitic stainless steel, effects of austenitizing treatment on the corrosion resistance of 541

В

Benzimidazole corrosion inhibitors

density functional theory investigations of benzimidazole corrosion inhibitors at metal/solution interface, cluster/polarized continuum models for 199

Biomass

simulated wood-waste fluidizing bed power boiler environment, corrosion of alloys in a 1132

Bis-silane

AA2024-T3 alloy, effect of degree of hydrolysis and condensation of bis-[triethoxysilylpropyl] tetrasulfide on the corrosion protection of coated 612 Black annealing

Alloy 22, influence of black annealing oxide scale on the anodic behavior of 967

Black liquor

black liquor corrosiveness, role of wood extractives in 911

Boiler steel. See also by name; by type; by UNS number; Steel

steel at 900°C, cyclic hot corrosion of high-velocity oxy fuel sprayed coatings on 1028

Boiler tubes

hot spots in boiler tubes, on the mechanism of formation of 930

Boiling water reactors

light water reactors, evaluation of alternate reductants for application in 795

reactor pressure vessel steels under simulated boiling water reactor conditions, effects of mechanical factors and dissolved hydrogen on the crack growth rates of 403

Bound water

Alloy 600 in chloride solution, effect of temperature on the pitting behavior and passive film characteristics of 745

Brazed joint

aqueous lithium bromide concentrated solutions by immersion testing, corrosion of copper in 1117

copper-phosphorus-silver brazing alloys in lithium bromide solutions, corrosion behavior of 751

Breakdown potential

Alloy 22 in sodium chloride, effect of sulfate on the passive and crevice corrosion properties of 340

welding stainless steel, chromiumfree consumables for optimization of alloy composition based on corrosion behavior 109

Bromidation

metals in flowing gas mixture at 700°C, corrosion behavior of 13

Bromides

metals in flowing gas mixture at 700°C, corrosion behavior of 13

C

Calcareous deposits

cathodically protected steel, does calcareous scale formation affect hydrogen uptake, discussion/reply 947

Carbides. See also Aluminum/silicon carbide composites; Grain boundary

14Cr-3Mo martensitic stainless steel, effects of austenitizing treatment on the corrosion resistance of 541 Carbide precipitation

intergranular stress corrosion cracking of austenitic stainless steels in hydrogenated hightemperature water, influences of carbide precipitation, cold work, and rolling direction on initiation and growth of 568

Carbonation

rate of corrosion of steel in concrete exposed to carbonation, influence of cement type and temperature on the 811

Carbon dioxide and solutions

corrosion-resistant alloys for the oil and gas industry, based on spontaneous passivity mechanism, development of 856

Carbon dioxide corrosion

carbon dioxide corrosion of carbon steels, use of artificial neural networks for predicting crude oil effect on 467

carbon dioxide corrosion scales, effect of temperature and pressure on morphology of 501

inhibition mechanism of imidazolines by electrochemical impedance spectroscopy, study of the 576

protective iron carbonate films, chemical removal by dissolution in single-phase aqueous flow 598

protective iron carbonate films, mechanical removal in single-phase aqueous flow 419

Carbon steel. See also by name; by type; by UNS number; Steel

black liquor corrosiveness, role of wood extractives in 911

carbon steel exposed to alkaline chloride environments, methods for accessing pitting damage in 801

carbon steel in an environment like NACE TM0177, effect of some pyridine derivatives on the corrosion behavior of 283

carbon steel in seawater, 16 years of corrosion behavior of 868

coulostatically induced transients, rapid determination of Tafel slopes by an integral method of 264

inhibition mechanism of imidazolines by electrochemical impedance spectroscopy, study of the 576

Carburization

Alloy 800H in simulated reforming gas atmospheres, effect of syngas composition on metal dusting of 54

Cathodes

corrosion processes through superposition of electrochemical partial processes and on potential of mixed electrodes, interpretation of, Classic Paper Series 843 Cathodic protection

depolarized and partially depolarized structure, retrofit cathodic protection design for 584

offshore structures, galvanic anode current and structure current demand determination methods for 162

steel corrosion under a disbonded coating due to oxygen with/without cathodic protection, two-dimensional model, full numerical solution 676

steel corrosion under a disbonded coating due to oxygen with/without cathodic protection, two-dimensional model, model simplification for practical application 873

supermartensitic stainless steel welds under cathodic protection at very low strain rates, testing of 371

Caustic attack

hot spots in boiler tubes, on the mechanism of formation of 930

Cavitation erosion

Type 316L stainless steel in sulfuric acid solution, influence of applied potential on cavitation erosion behavior of 99

Cement. See also Concrete

rate of corrosion of steel in concrete exposed to carbonation, influence of cement type and temperature on the 811

Cerium nitrate and solutions

cerium-based conversion coating, corrosion protection of electrogalvanized steel by a 1067

Characterization

permanganate-based coatings on AA2024-T3, development of 773

Charpy impact value

nickel-based alloys in supercritical water applications, compatibility of, aging effects on corrosion resistance and mechanical properties 174

Chemical cleaning

pressurized water reactor steam generator tubes, pitting corrosion and its countermeasures for 905

Chennai, India

atmospheric corrosion of engineering materials at two exposure sites in Chennai, a comparative study 883

Chloride and chloride solutions

Alloy 22, influence of black annealing oxide scale on the anodic behavior of 967

Alloy 22 in sodium chloride, effect of sulfate on the passive and crevice corrosion properties of 340

simulated wood-waste fluidizing bed power boiler environment, corrosion of alloys in a 1132 steam turbine disc steel, effect of stress transients on the crack propagation rate in 508

Chloride threshold

corrosion-resistant rebar materials compared to carbon steel, threshold chloride concentrations of selected 892

stainless steel clad rebar, exploratory assessment of corrosion behavior, experimental 822

Chromate

copper-phosphorus-silver brazing alloys in lithium bromide solutions, corrosion behavior of 751

Chromate-free coatings. See also Coatings

permanganate-based coatings on AA2024-T3, development of 773

Chromium and chromium alloys. See

binary nickel-chromium alloys under conditions found in supercritical water oxidation plants processing chlorinated substances, aspects of the corrosion kinetics for 444

nickel-based alloys, influence of chromium and molybdenum on corrosion of 491

Cladding

stainless steel clad rebar, exploratory assessment of corrosion behavior, experimental 822

stainless steel clad rebar, exploratory assessment of corrosion behavior, modeling of galvanic corrosion at cladding breaks 918

Cluster model

density functional theory investigations of benzimidazole corrosion inhibitors at metal/solution interface, cluster/polarized continuum models for 199

Coalescence

mild steel under marine anaerobic conditions, pitting corrosion of, statistical representation of maximum pit depth 1074

Coatings. See Chromate-free; Coating performance; Coating thickness; Conversion; Disbonded; Duplex; Epoxy; High-velocity oxy fuel; Nonchromate; Permanganate; Physical vapor deposition; Plasma spray; Thermal-sprayed; Zinc sacrificial

Coating performance

zinc-containing coating systems on steel in artificial seawater, corrosion protection assessment of barrier properties of several 323

Coating thickness

thermal-sprayed Zn, Al, and Zn-Al coatings in marine environment, 18-year exposure test of 635 Cold work

composite tube alloys in a molten sodium sulfide hydrate-sodium hydroxide salt mixture, cracking susceptibility of alternative 624

intergranular stress corrosion cracking of austenitic stainless steels in hydrogenated hightemperature water, influences of carbide precipitation, cold work, and rolling direction on initiation and growth of 568

Composite tube

composite tube alloys in a molten sodium sulfide hydrate-sodium hydroxide salt mixture, cracking susceptibility of alternative 624

Concentration polarization

coulostatically induced transients, rapid determination of Tafel slopes by an integral method of 264

Concrete. See also Cement

corrosion-resistant rebar materials compared to carbon steel, threshold chloride concentrations of selected 892

stainless steel clad rebar, exploratory assessment of corrosion behavior, experimental 822

stainless steel clad rebar, exploratory assessment of corrosion behavior, modeling of galvanic corrosion at cladding breaks 918

Constant immersion

zinc-containing coating systems on steel in artificial seawater, corrosion protection assessment of barrier properties of several 323

Conversion coatings. See also Coatings

cerium-based conversion coating, corrosion protection of electrogalvanized steel by a 1067

permanganate-based coatings on AA2024-T3, development of 773

Copper and copper alloys. See also Alloys and alloying

aqueous lithium bromide concentrated solutions by immersion testing, corrosion of copper in 1117

copper corrosion in a concentrated lithium bromide solution, evolution with exposure time of, characterization of corrosion products by energy-dispersive xray and x-ray diffraction 64

copper in alkaline-sulfide solutions, electrochemical behavior of 121

copper in aqueous lithium bromide concentrated solutions by immersion testing, corrosion of

pressurized water reactor steam generator tubes, pitting corrosion and its countermeasures for 905 welding stainless steel, chromiumfree consumables for optimization of alloy composition based on corrosion behavior 109

Copper-phosphorus-silver alloys. See also Alloys and alloying

copper-phosphorus-silver brazing alloys in lithium bromide solutions, corrosion behavior of 751

Copper replating

AA2024-T3 at various temperatures, effect of surface pretreatment on the underpaint corrosion of 300

Corrosion. See Aqueous; Atmospheric; Carbon dioxide; Caustic attack; Cavitation erosion; Cost of corrosion; Crevice; Erosion-corrosion; Exfoliation; Filiform; Galvanic; High-temperature; Hot; Intergranular; Localized; Marine; Microbiologically influenced; Mixed oxidant; Pitting; Seawater; Steel rust; Tribocorrosion; Underground; Underpaint; Uniform

Corrosion-resistant alloys. See also Alloys and alloying

corrosion-resistant alloys for the oil and gas industry, based on spontaneous passivity mechanism, development of 856

Corrosion currents

hydrogen sulfide corrosion by coupling of phase and polarization behavior, modeling of 1092

Corrosion current density

corrosion processes through superposition of electrochemical partial processes and on potential of mixed electrodes, interpretation of, Classic Paper Series 843

Corrosion fatigue

reactor pressure vessel steels under simulated boiling water reactor conditions, effects of mechanical factors and dissolved hydrogen on the crack growth rates of 403

Corrosion fatigue cracking

composite tube alloys in a molten sodium sulfide hydrate-sodium hydroxide salt mixture, cracking susceptibility of alternative 624

Corrosion inhibitors

inhibition mechanism of imidazolines by electrochemical impedance spectroscopy, study of the 576

Corrosion monitoring system

buried pipelines, galvanic sensor for monitoring corrosion damage of, correlation of sensor output to actual corrosion damage of pipeline in soil and tap water environments 522

Corrosion potential

Alloy 22 in sodium chloride, effect of sulfate on the passive and crevice corrosion properties of 340 carbon steel in ethanol, stress cor-

rosion cracking of 687

corrosion processes through superposition of electrochemical partial processes and on potential of mixed electrodes, interpretation of, Classic Paper Series 843

Corrosion prediction

carbon dioxide corrosion of carbon steels, use of artificial neural networks for predicting crude oil effect on 467

Corrosion product

corrosion-resistant alloys for the oil and gas industry, based on spontaneous passivity mechanism, development of 856

pressurized water reactor steam generator tubes, pitting corrosion and its countermeasures for 905

Corrosion protection

lanthanum surface treatments, improvement of corrosion behavior of aluminum/silicon carbide composites with 141

zinc-containing coating systems on steel in artificial seawater, corrosion protection assessment of barrier properties of several 323

Corrosion rate

Alloy 22, influence of black annealing oxide scale on the anodic behavior of 967

atmospheric corrosion of engineering materials at two exposure sites in Chennai, a comparative study 883

black liquor oxidation on the stress corrosion cracking susceptibility of selected materials, effect of 765

rate of corrosion of steel in concrete exposed to carbonation, influence of cement type and temperature on the 811

supercritical water oxidation-utilized organic waste processing reactors, corrosion performance of metals for 383

Corrosion resistance

14Cr-3Mo martensitic stainless steel, effects of austenitizing treatment on the corrosion resistance of 541

copper-phosphorus-silver brazing alloys in lithium bromide solutions, corrosion behavior of 751

simulated wood-waste fluidizing bed power boiler environment, corrosion of alloys in a 1132

titanium nitride and titanium-titanium nitride coatings on steel substrates, corrosion behavior of 182

Corrosion scale

carbon dioxide corrosion scales, effect of temperature and pressure on morphology of 501

Corrosive gases

metals in flowing gas mixture at 700°C, corrosion behavior of 13

Cost of corrosion

cost of corrosion, is it really quantifiable? 1051

Coulostatic

coulostatically induced transients, rapid determination of Tafel slopes by an integral method of 264

Coupling priniciple sulfide stress cracking

hydrogen sulfide corrosion by coupling of phase and polarization behavior, modeling of 1092

Cracking. See Corrosion; Corrosion fatigue; Environmentally assisted; Hydrogen-induced; Intergranular; Stress corrosion; Sulfide stress; Transgranular

Crack growth rate

reactor pressure vessel steels under simulated boiling water reactor conditions, effects of mechanical factors and dissolved hydrogen on the crack growth rates of 403

Crack initiation

X70 steel in simulated near-neutral pH groundwater, crack initiation and early propagation of 723

Crack propagation

X70 steel in simulated near-neutral pH groundwater, crack initiation and early propagation of 723

Creep

hot spots in boiler tubes, on the mechanism of formation of 930

Crevice corrosion

Alloy 22, influence of black annealing oxide scale on the anodic behavior of 967

Alloy 22 in chloride solutions, effect of fabrication processes, localized corrosion susceptibility of 3

Alloy 22 in sodium chloride, effect of sulfate on the passive and crevice corrosion properties of 340

Crude oil

carbon dioxide corrosion of carbon steels, use of artificial neural networks for predicting crude oil effect on 467

Crystalline films. See also Films and film formation

Alloy 600 in chloride solution, effect of temperature on the pitting behavior and passive film characteristics of 745

Current demand

depolarized and partially depolarized structure, retrofit cathodic protection design for 584

offshore structures, galvanic anode current and structure current demand determination methods for 162

Current distribution

tribocorrosion processes under steady-state friction regime, electrochemical noise analysis of 514 Cyclic polarization

Alloy 22 in sodium chloride, effect of sulfate on the passive and crevice corrosion properties of 340

Cyclic voltammograms

copper in alkaline-sulfide solutions, electrochemical behavior of 121

D

Damsissa

damsissa extract on the corrosion of steel in acidic media, effect of temperature on inhibitive action of 293

Degradation

nickel-based alloys in supercritical water applications, compatibility of, aging effects on corrosion resistance and mechanical properties 174

Denitrifying bacteria

microbiologically influenced corrosion using quantitative polymerase chain reaction, rapid detection and quantification of microbes related to 950

Deposits

simulated wood-waste fluidizing bed power boiler environment, corrosion of alloys in a 1132

Detection

microbiologically influenced corrosion, diagnosing, state-of-the-art review 1006

Differential pulse polarography

copper in aqueous lithium bromide concentrated solutions by immersion testing, corrosion of 1018

Diffusion-limited current density

coulostatically induced transients, rapid determination of Tafel slopes by an integral method of 264

Digital frequency response analysis advanced electrochemical techniques and concepts to corrosion phenomena, application of 1056

Dilution

welding stainless steel, chromiumfree consumables for optimization of alloy composition based on corrosion behavior 109

Disbonded coatings. See also Coatings

steel corrosion under a disbonded coating due to oxygen with/without cathodic protection, two-dimensional model, full numerical solution 676

steel corrosion under a disbonded coating due to oxygen with/without cathodic protection, two-dimensional model, model simplification for practical application 873 Disc steel. See also by name; by type; by UNS number; Steel

steam turbine disc steel, effect of stress transients on the crack propagation rate in 508

Duplex austenite-ferrite stainless steel. See also by name, by type, by UNS number; Stainless steel

duplex stainless steel manufactured by powder metallurgy, influence of heat treatments on the corrosion resistance of a 84

Duplex coatings. See also Coatings titanium nitride and titanium-titanium nitride coatings on steel substrates, corrosion behavior of 182

Duplex stainless steel. See also by name; by type; by UNS number; Stainless steel

corrosion-resistant rebar materials compared to carbon steel, threshold chloride concentrations of selected 892

E

Eddy current testing

pressurized water reactor steam generator tubes, pitting corrosion and its countermeasures for 905

Electric double layer

density functional theory investigations of benzimidazole corrosion inhibitors at metal/solution interface, cluster/polarized continuum models for 199

Electrochemical corrosion potential light water reactors, evaluation of alternate reductants for application in 795

Electrochemical impedance

tribocorrosion processes under steady-state friction regime, electrochemical noise analysis of 514

Electrochemical impedance spectroscopy

17-4PH steel in sodium chloride solution, corrosion resistance of injection-molded 357

AA2024-T3 alloy, effect of degree of hydrolysis and condensation of bis-[triethoxysilylpropyl] tetrasulfide on the corrosion protection of coated 612

Al 5083 samples, comparison of corrosion behavior of nanocrystalline and conventional 152

antimony and antimony oxide films in acid solutions, electrochemical behavior of 739

API X70 steel in hydrogen sulfidecontaining solutions, electrochemical behavior of 433

carbon steel in an environment like
NACE TM0177, effect of some
pyridine derivatives on the corrosion behavior of 283

inhibition mechanism of imidazolines by electrochemical impedance spectroscopy, study of the 576

nano-Ti particles, enhancement of the protectiveness of epoxy coatings with surface-modified 483

Type 316L stainless steel in sulfuric acid solution, influence of applied potential on cavitation erosion behavior of 99

zinc-containing coating systems on steel in artificial seawater, corrosion protection assessment of barrier properties of several 323

Electrochemical measurements

advanced electrochemical techniques and concepts to corrosion phenomena, application of 1056

Electrochemical noise

carbon steel exposed to alkaline chloride environments, methods for accessing pitting damage in 801

tribocorrosion processes under steady-state friction regime, electrochemical noise analysis of 514

Electrochemical potential

reactor pressure vessel steels under simulated boiling water reactor conditions, effects of mechanical factors and dissolved hydrogen on the crack growth rates of 403

Electrochemical potentiokinetic reactivation test

duplex stainless steel manufactured by powder metallurgy, influence of heat treatments on the corrosion resistance of a 84

Electrogalvanized steel. See also by name; by type; by UNS number; Steel

cerium-based conversion coating, corrosion protection of electrogalvanized steel by a 1067 Energy-dispersive x-ray analysis

copper corrosion in a concentrated lithium bromide solution, evolution with exposure time

evolution with exposure time of, characterization of corrosion products by energy-dispersive xray and x-ray diffraction 64 Environmentally assisted cracking

environmentally assisted cracking in high-temperature water, role of work-hardened surface layer in initiation of 651

reactor pressure vessel steels under simulated boiling water reactor conditions, effects of mechanical factors and dissolved hydrogen on the crack growth rates of 403

X70 steel in simulated near-neutral pH groundwater, crack initiation and early propagation of 723

Epoxy coatings. See also Coatings nano-Ti particles, enhancement of the protectiveness of epoxy coatings with surface-modified 483

Erosion-corrosion

metal matrix composites for corrosion and erosion-corrosion applications in the oilsands industry, assessing 657

Ethanol and solutions

carbon steel in ethanol, stress corrosion cracking of 687

Exfoliation corrosion

aluminum alloy 7178, effects of relative humidity, temper, stress on exfoliation corrosion kinetics of 956

Exposure time

copper corrosion in a concentrated lithium bromide solution, evolution with exposure time of, characterization of corrosion products by energy-dispersive xray and x-ray diffraction 64

Extracts

damsissa extract on the corrosion of steel in acidic media, effect of temperature on inhibitive action of 293

Extreme value

mild steel under marine anaerobic conditions, pitting corrosion of, statistical representation of maximum pit depth 1074

F

Fe-Cr alloys. See also Alloys and alloying

Fe-Cr, Fe-Ni, and Fe-Cu binary alloys, characterization of rusts by Fourier transform infrared and N₂ adsorption 559

Fe-Cu alloys. See also Alloys and alloying

Fe-Cr, Fe-Ni, and Fe-Cu binary alloys, characterization of rusts by Fourier transform infrared and N₂ adsorption 559

Fe-Ni alloys. See also Alloys and alloving

Fe-Cr, Fe-Ni, and Fe-Cu binary alloys, characterization of rusts by Fourier transform infrared and N_2 adsorption 559

Ferritic stainless steel. See also by name; by type; by UNS number; Stainless steel

ferritic stainless steel aged at 800°C, sensitization and pitting corrosion resistance of 1039

Field exposure test

thermal-sprayed Zn, Al, and Zn-Al coatings in marine environment, 18-year exposure test of 635

Filiform corrosion

AA2024-T3 at various temperatures, effect of surface pretreatment on the underpaint corrosion of 300

Filler metals

aqueous lithium bromide concentrated solutions by immersion testing, corrosion of copper in 1117

Films and film formation. See Amorphous; Crystalline; Film dissolution; Mechanical film removal; Oxides; Passive; Protective iron carbonate

Film dissolution

protective iron carbonate films, chemical removal by dissolution in single-phase aqueous flow 598

Flow and flow conditions. See also Single-phase; Turbulent singlephase; Turbulent Taylor-Couette

API X70 steel in hydrogen sulfidecontaining solutions, electrochemical behavior of 433

Fluidized bed combustion

simulated wood-waste fluidizing bed power boiler environment, corrosion of alloys in a 1132

Focused ion beam microscopy

X-52 line pipe steel, microscopy study of intergranular stress corrosion cracking of 316

Fourier transform infrared

Fe-Cr, Fe-Ni, and Fe-Cu binary alloys, characterization of rusts by Fourier transform infrared and N₂ adsorption 559

Fracture mechanics

steam turbine disc steel, effect of stress transients on the crack propagation rate in 508

Fracture toughness

nickel-based alloys in supercritical water applications, compatibility of, aging effects on corrosion resistance and mechanical properties 174

Frechet distribution

mild steel under marine anaerobic conditions, pitting corrosion of, statistical representation of maximum pit depth 1074

G

Galvanic anodes

depolarized and partially depolarized structure, retrofit cathodic protection design for 584

offshore structures, galvanic anode current and structure current demand determination methods for 162

Galvanic corrosion

austenitic stainless steel, Monel (Alloy 400) filler metal, development of a chromium-free consumable for 44

Galvanic currents

buried pipelines, galvanic sensor for monitoring corrosion damage of, correlation of sensor output to actual corrosion damage of pipeline in soil and tap water environments 522

dual galvanic/surface film resistance sensor, measuring corrosiveness with a 195

Galvanic sensor

buried pipelines, galvanic sensor for monitoring corrosion damage of, correlation of sensor output to actual corrosion damage of pipeline in soil and tap water environments 522

Galvanized steel. See also by name; by type; by UNS number; Steel

zinc-containing coating systems on steel in artificial seawater, corrosion protection assessment of barrier properties of several 323

Galvanostatic polarization

antimony and antimony oxide films in acid solutions, electrochemical behavior of 739

copper in alkaline-sulfide solutions, electrochemical behavior of 121

Generalized extreme value statistics

carbon steel exposed to alkaline chloride environments, methods for accessing pitting damage in 801

Generation IV

austenitic alloys in supercritical water, stress corrosion cracking of 1100

Grain boundary carbides

austenitic stainless steels in hydrogenated high-temperature water, influence of grain boundary chemistry on intergranular stress corrosion cracking of 74

Grain boundary sliding

austenitic stainless steels in hydrogenated high-temperature water, influence of grain boundary chemistry on intergranular stress corrosion cracking of 74

intergranular stress corrosion cracking of austenitic stainless steels in hydrogenated hightemperature water, influences of carbide precipitation, cold work, and rolling direction on initiation and growth of 568

Grain size

carbon dioxide corrosion scales, effect of temperature and pressure on morphology of 501

Groundwater

buried pipelines, galvanic sensor for monitoring corrosion damage of, correlation of sensor output to actual corrosion damage of pipeline in soil and tap water environments 522

H

Hardfacing

metal matrix composites for corrosion and erosion-corrosion applications in the oilsands industry, assessing 657

High-level radioactive waste

Alloy 22 in chloride solutions, effect of fabrication processes, localized corrosion susceptibility of 3

High-temperature corrosion

metals in flowing gas mixture at 700°C, corrosion behavior of 13

High-temperature water

environmentally assisted cracking in high-temperature water, role of work-hardened surface layer in initiation of 651

light water reactors, evaluation of alternate reductants for application in 795

High-velocity oxy fuel coatings. See also Coatings

steel at 900°C, cyclic hot corrosion of high-velocity oxy fuel sprayed coatings on 1028

High pressure

binary nickel-chromium alloys under conditions found in supercritical water oxidation plants processing chlorinated substances, aspects of the corrosion kinetics for 444

High temperature

binary nickel-chromium alloys under conditions found in supercritical water oxidation plants processing chlorinated substances, aspects of the corrosion kinetics for 444

Hot corrosion

Ni-20Cr plasma spray coatings applied on boiler tube steels in molten salt environment at 900°C, studies on the behavior of 533

steel at 900°C, cyclic hot corrosion of high-velocity oxy fuel sprayed coatings on 1028

Hot spots

hot spots in boiler tubes, on the mechanism of formation of 930

Humic substances

API 5LX65 steel, influence of humic substances on the corrosion of the 35

Hydrides and hydride formation

light water reactors, evaluation of alternate reductants for application in 795

nickel-copper alloy, assessment of hydrogen-induced precipitation using thermoelectric power 395

Hydrochloric acid and acid solutions. See also Acids and acid solutions

supercritical water oxidation-utilized organic waste processing reactors, corrosion performance of metals for 383

Hydrogen-induced cracking

linepipe steels, studies on inhibition of hydrogen-induced cracking of 29

Hydrogenated high-temperature

austenitic stainless steels in hydrogenated high-temperature water, influence of grain boundary chemistry on intergranular stress corrosion cracking of 74

Hydrogen chloride and solutions

binary nickel-chromium alloys under conditions found in supercritical water oxidation plants processing chlorinated substances, aspects of the corrosion kinetics for 444

Hydrogen content evaluation

nickel-copper alloy, assessment of hydrogen-induced precipitation using thermoelectric power 395

Hydrogen embrittlement

supermartensitic stainless steel welds under cathodic protection at very low strain rates, testing of 371

X-60 and X-65 pipeline steels, sulfide stress cracking susceptibility of welded 375

Hydrogen sulfide and solutions

API X70 steel in hydrogen sulfidecontaining solutions, electrochemical behavior of 433

corrosion-resistant alloys for the oil and gas industry, based on spontaneous passivity mechanism, development of 856

Hydrogen sulfide corrosion modeling

hydrogen sulfide corrosion by coupling of phase and polarization behavior, modeling of 1092

Hydrogen uptake. See also Alloys and alloying

cathodically protected steel, does calcareous scale formation affect hydrogen uptake, discussion/reply 947

Immersion. See also Constant

mild steel under marine anaerobic conditions, pitting corrosion of, statistical representation of maximum pit depth 1074

Immersion testing

copper in aqueous lithium bromide concentrated solutions by immersion testing, corrosion of 1018

Impedance. See Alternating current; Electrochemical; Noise; Spaceresolved

Incubation times

hydrogen sulfide corrosion by coupling of phase and polarization behavior, modeling of 1092

Industrial applications and environ-

atmospheric corrosion of engineering materials at two exposure sites in Chennai, a comparative study 883

Inhibition and inhibition efficiency

Alloy 22 in sodium chloride, effect of sulfate on the passive and crevice corrosion properties of 340

linepipe steels, studies on inhibition of hydrogen-induced cracking of 29

Inhibitors. See Benzimidazole corrosion; Corrosion; Volatile corrosion Initiation

environmentally assisted cracking in high-temperature water, role of work-hardened surface layer in initiation of 651

Intergranular corrosion

AA2024-T3, in situ x-ray radiographic study of stress corrosion cracking in 217

duplex stainless steel manufactured by powder metallurgy, influence of heat treatments on the corrosion resistance of a 84

Intergranular cracking

X-52 line pipe steel, microscopy study of intergranular stress corrosion cracking of 316

Intergranular fracture

austenitic alloys in supercritical water, stress corrosion cracking of 1100

Intergranular stress corrosion crack-

austenitic alloys in supercritical water, stress corrosion cracking of 1100

austenitic stainless steels in hydrogenated high-temperature water, influence of grain boundary chemistry on intergranular stress corrosion cracking of 74

intergranular stress corrosion cracking of austenitic stainless steels in hydrogenated hightemperature water, influences of carbide precipitation, cold work, and rolling direction on initiation and growth of 568

Intermetallic particles

AA2024-T3, in situ x-ray radiographic study of stress corrosion cracking in 217

Iron/solution interface

density functional theory investigations of benzimidazole corrosion inhibitors at metal/solution interface, cluster/polarized continuum models for 199

Lanthanum and lanthanum alloys. See also Alloys and alloying

lanthanum surface treatments, improvement of corrosion behavior of aluminum/silicon carbide composites with 141

Lithium bromide and solutions

aqueous lithium bromide concentrated solutions by immersion testing, corrosion of copper in 1117

copper-phosphorus-silver brazing alloys in lithium bromide solutions, corrosion behavior of 751 copper corrosion in a concentrated lithium bromide solution, evolution with exposure time of, characterization of corrosion products by energy-dispersive xray and x-ray diffraction 64

copper in aqueous lithium bromide concentrated solutions by immersion testing, corrosion of 1018

Localized corrosion

corrosion-resistant alloys for the oil and gas industry, based on spontaneous passivity mechanism, development of 856

M

Macropitting

mild steel under marine anaerobic conditions, pitting corrosion of, experimental observations 981

Magnetite

austenitic alloys in supercritical water, corrosion of 989

Manganese oxide and solutions permanganate-based coatings on AA2024-T3, development of 773

Marine applications and environments. See also Offshore platforms and structures; Seawater; Sodium chloride and solutions

atmospheric corrosion of engineering materials at two exposure sites in Chennai, a comparative study 883

mild steel under marine anaerobic conditions, pitting corrosion of, experimental observations 981

mild steel under marine anaerobic conditions, pitting corrosion of, statistical representation of maximum pit depth 1074

thermal-sprayed Zn, Al, and Zn-Al coatings in marine environment, 18-year exposure test of 635

Marine corrosion

thermal-sprayed Zn, Al, and Zn-Al coatings in marine environment, 18-year exposure test of 635

Martensitic phase transformation 14Cr-3Mo martensitic stainless steel, effects of austenitizing treatment on the corrosion resistance of 541

Martensitic stainless steel. See also by name; by type; by UNS number; Stainless steel

17-4PH steel in sodium chloride solution, corrosion resistance of injection-molded 357

Mass-transfer control

protective iron carbonate films, chemical removal by dissolution in single-phase aqueous flow 598

Mechanical film removal. See also Films and film formation

protective iron carbonate films, mechanical removal in single-phase aqueous flow 419

Mechanical property

nickel-based alloys in supercritical water applications, compatibility of, aging effects on corrosion resistance and mechanical properties 174

Metals. See also Filler; Noble

atmospheric corrosion of engineering materials at two exposure sites in Chennai, a comparative study 883

Metal dusting

Alloy 800H in simulated reforming gas atmospheres, effect of syngas composition on metal dusting of 54

Metal matrix composite

metal matrix composites for corrosion and erosion-corrosion applications in the oilsands industry, assessing 657

Methods

microbiologically influenced corrosion, diagnosing, state-of-the-art review 1006

Microbiologically influenced corrosion

microbiologically influenced corrosion, diagnosing, state-of-the-art review 1006

microbiologically influenced corrosion using quantitative polymerase chain reaction, rapid detection and quantification of microbes related to 950

Microstructure

linepipe steels, studies on inhibition of hydrogen-induced cracking of 29

near-neutral pH stress corrosion cracking resistance of pipeline steels, relationship between yield strength, an effect of microstructure 129

X70 steel in simulated near-neutral pH groundwater, crack initiation and early propagation of 723

Mixed environments

metals in flowing gas mixture at 700°C, corrosion behavior of 13

Mixed oxidant corrosion

metals in flowing gas mixture at 700°C, corrosion behavior of 13

Mixed potential theory

corrosion processes through superposition of electrochemical partial processes and on potential of mixed electrodes, interpretation of, Classic Paper Series 843

Modeling. See also Cluster model; Hydrogen sulfide corrosion; Performance assessment; Polarized continuum model

AA2024-T3 exposed at a seacoast environment, experimental and computational evaluation of the protection provided by an aluminum cladding to 251 binary nickel-chromium alloys under conditions found in supercritical water oxidation plants processing chlorinated substances, aspects of the corrosion kinetics for 444

stainless steel clad rebar, exploratory assessment of corrosion behavior, modeling of galvanic corrosion at cladding breaks 918

steel corrosion under a disbonded coating due to oxygen with/without cathodic protection, two-dimensional model, full numerical solution 676

steel corrosion under a disbonded coating due to oxygen with/without cathodic protection, two-dimensional model, model simplification for practical application 873

Type 316L stainless steel in sulfuric acid solution, influence of applied potential on cavitation erosion behavior of 99

Molybdenum and molybdenum alloys. See also Alloys and alloying

nickel-based alloys, influence of chromium and molybdenum on corrosion of 491

welding stainless steel, chromiumfree consumables for optimization of alloy composition based on corrosion behavior 109

Monel

austenitic stainless steel, Monel (Alloy 400) filler metal, development of a chromium-free consumable for 44

N

N₂ adsorption

Fe-Cr, Fe-Ni, and Fe-Cu binary alloys, characterization of rusts by Fourier transform infrared and $\rm N_2$ adsorption 559

Nanocrystalline aluminum alloys. See also Alloys and alloying

Al 5083 samples, comparison of corrosion behavior of nanocrystalline and conventional 152

Nano-titanium particles

nano-Ti particles, enhancement of the protectiveness of epoxy coatings with surface-modified 483

Ni-20Cr

Ni-20Cr plasma spray coatings applied on boiler tube steels in molten salt environment at 900°C, studies on the behavior of 533

Nickel and nickel alloys. See also Alloys and alloying

austenitic stainless steel, Monel (Alloy 400) filler metal, development of a chromium-free consumable for 44

binary nickel-chromium alloys under conditions found in supercritical water oxidation plants processing chlorinated substances, aspects of the corrosion kinetics for 444

nickel-based alloys, influence of chromium and molybdenum on corrosion of 491

welding stainless steel, chromiumfree consumables for optimization of alloy composition based on corrosion behavior 109

Nickel-based alloys. See also Alloys and alloying

austenitic alloys in supercritical water, corrosion of 989

nickel-based alloys in supercritical water applications, compatibility of, aging effects on corrosion resistance and mechanical properties 174

supercritical water containing hydrochloric acid, corrosion behavior of nickel-based alloys and Type 316 stainless steel in slightly oxidizing or reducing 270

Ni-Cu alloys. See also Alloys and alloying

austenitic stainless steel, Monel (Alloy 400) filler metal, development of a chromium-free consumable for 44

welding stainless steel, chromiumfree consumables for optimization of alloy composition based on corrosion behavior 109

Nitric acid mass loss test

Al 5083 samples, comparison of corrosion behavior of nanocrystalline and conventional 152

Noble metals

welding stainless steel, chromiumfree consumables for optimization of alloy composition based on corrosion behavior 109

Noise impedance

tribocorrosion processes under steady-state friction regime, electrochemical noise analysis of 514

Nonchromate coatings. See also Coatings

permanganate-based coatings on AA2024-T3, development of 773

Nonmetallic inclusions

linepipe steels, studies on inhibition of hydrogen-induced cracking of 29

Nuclear reactors

austenitic alloys in supercritical water, stress corrosion cracking of 1100

Nuclear waste

high-level nuclear waste containers, assessing the corrosion performance of 703

0

Observations

mild steel under marine anaerobic conditions, pitting corrosion of, experimental observations 981

Offshore platforms and structures. See also Marine applications and environments; Seawater

depolarized and partially depolarized structure, retrofit cathodic protection design for 584

offshore structures, galvanic anode current and structure current demand determination methods for 162

Open-circuit potential

austenitic stainless steel, Monel (Alloy 400) filler metal, development of a chromium-free consumable for 44

black liquor oxidation on the stress corrosion cracking susceptibility of selected materials, effect of 765

welding stainless steel, chromiumfree consumables for optimization of alloy composition based on corrosion behavior 109

Organic sealant

thermal-sprayed Zn, Al, and Zn-Al coatings in marine environment, 18-year exposure test of 635

Organic waste

supercritical water oxidation-utilized organic waste processing reactors, corrosion performance of metals for 383

Oxidation. See also Supercritical water

binary nickel-chromium alloys under conditions found in supercritical water oxidation plants processing chlorinated substances, aspects of the corrosion kinetics for 444

black liquor oxidation on the stress corrosion cracking susceptibility of selected materials, effect of 765

environmentally assisted cracking in high-temperature water, role of work-hardened surface layer in initiation of 651

metals in flowing gas mixture at 700°C, corrosion behavior of 13

Oxides and oxide films. See also Films and film formation

antimony and antimony oxide films in acid solutions, electrochemical behavior of 739

austenitic alloys in supercritical water, corrosion of 989

metals in flowing gas mixture at 700°C, corrosion behavior of 13

Oxygen adsorption

cathodically protected steel, does calcareous scale formation affect hydrogen uptake, discussion/reply 947

Oxygen and oxygen alloys. See also Alloys and alloying

carbon steel in ethanol, stress corrosion cracking of 687

steam turbine disc steel, effect of stress transients on the crack propagation rate in 508

Oxygen concentration cell

steel corrosion under a disbonded coating due to oxygen with/without cathodic protection, two-dimensional model, full numerical solution 676

Oxygen permeability

rate of corrosion of steel in concrete exposed to carbonation, influence of cement type and temperature on the 811

P

Palladium and palladium alloys. See also Alloys and alloying

welding stainless steel, chromiumfree consumables for optimization of alloy composition based on corrosion behavior 109

Passivation and passivity. See also Spontaneous

copper in alkaline-sulfide solutions, electrochemical behavior of 121

Passive corrosion rate

Alloy 22 in sodium chloride, effect of sulfate on the passive and crevice corrosion properties of 340

Passive films. See also Films and film formation

17-4PH steel in sodium chloride solution, corrosion resistance of injection-molded 357

Alloy 600 in chloride solution, effect of temperature on the pitting behavior and passive film characteristics of 745

Performance assessment modeling

high-level nuclear waste containers, assessing the corrosion performance of 703

Permanganate coatings. See also Coatings

permanganate-based coatings on AA2024-T3, development of 773

Permeation

cathodically protected steel, does calcareous scale formation affect hydrogen uptake, discussion/reply 947

pH and pH effects

cathodically protected steel, does calcareous scale formation affect hydrogen uptake, discussion/reply 947

hydrogen sulfide corrosion by coupling of phase and polarization behavior, modeling of 1092

Phosphoric acid anodizing. See also Acids and acid solutions

antimony and antimony oxide films in acid solutions, electrochemical behavior of 739 Physical vapor deposition coatings. See also Coatings

titanium nitride and titanium-titanium nitride coatings on steel substrates, corrosion behavior of 182

Pipelines and line pipe steel. See also by name; by type; by UNS number; Steel

API 5LX65 steel, influence of humic substances on the corrosion of the 35

buried pipelines, galvanic sensor for monitoring corrosion damage of, correlation of sensor output to actual corrosion damage of pipeline in soil and tap water environments 522

linepipe steels, studies on inhibition of hydrogen-induced cracking of 29

near-neutral pH stress corrosion cracking resistance of pipeline steels, relationship between yield strength, an effect of microstructure 129

steel corrosion under a disbonded coating due to oxygen with/without cathodic protection, two-dimensional model, full numerical solution 676

steel corrosion under a disbonded coating due to oxygen with/without cathodic protection, two-dimensional model, model simplification for practical application 873

X-52 line pipe steel, microscopy study of intergranular stress corrosion cracking of 316

X70 steel in simulated near-neutral pH groundwater, crack initiation and early propagation of 723

Pit morphology

Alloy 600 in chloride solution, effect of temperature on the pitting behavior and passive film characteristics of 745

Pitting. See also Macropitting; Potentiostatic metastable

17-4PH steel in sodium chloride solution, corrosion resistance of injection-molded 357

Alloy 600, microchemistry of Ticarbonitrides and their role in the early stage of pit initiation of 591

Alloy 600 in chloride solution, effect of temperature on the pitting behavior and passive film characteristics of 745

ferritic stainless steel aged at 800°C, sensitization and pitting corrosion resistance of 1039

lanthanum surface treatments, improvement of corrosion behavior of aluminum/silicon carbide composites with 141 mild steel under marine anaerobic conditions, pitting corrosion of, statistical representation of maximum pit depth 1074

pressurized water reactor steam generator tubes, pitting corrosion and its countermeasures for 905

steam turbine blading steels, pitting corrosion of, influence of chromium content, temperature, chloride ion concentration 231 stress corrosion cracks emerging

from pits, visualization of 555

Pitting scan

Al 5083 samples, comparison of corrosion behavior of nanocrystalline and conventional 152

Plasma spray coatings. See also Coatings

Ni-20Cr plasma spray coatings applied on boiler tube steels in molten salt environment at 900°C, studies on the behavior of 533

Polarization and polarization testing. See also Anodic; Concentration; Cyclic; Galvanostatic; Potentiodynamic; Potentiostatic

17-4PH steel in sodium chloride solution, corrosion resistance of injection-molded 357

black liquor corrosiveness, role of wood extractives in 911

Polarization curves

hydrogen sulfide corrosion by coupling of phase and polarization behavior, modeling of 1092

Polarization resistance

Alloy 22 in sodium chloride, effect of sulfate on the passive and crevice corrosion properties of 340

linepipe steels, studies on inhibition of hydrogen-induced cracking of 29

Polarization resistance technique

corrosion processes through superposition of electrochemical partial processes and on potential of mixed electrodes, interpretation of, Classic Paper Series 843

Polarized continuum model based on integral equation formalism

density functional theory investigations of benzimidazole corrosion inhibitors at metal/solution interface, cluster/polarized continuum models for 199

Potential. See Applied; Breakdown; Corrosion; Electrochemical; Electrochemical corrosion; Open-circuit; Repassivation

Potentiodynamic polarization

carbon steel exposed to alkaline chloride environments, methods for accessing pitting damage in

lanthanum surface treatments, improvement of corrosion behavior of aluminum/silicon carbide composites with 141

Potentiodynamic testing

nickel-based alloys, influence of chromium and molybdenum on corrosion of 491

Potentiostatic metastable pitting

carbon steel exposed to alkaline chloride environments, methods for accessing pitting damage in 801

Potentiostatic polarization

corrosion-resistant rebar materials compared to carbon steel, threshold chloride concentrations of selected 892

Potentiostatic testing

nickel-based alloys, influence of chromium and molybdenum on corrosion of 491

Power stations

hot spots in boiler tubes, on the mechanism of formation of 930

Precipitation. See also Carbide

duplex stainless steel, effects of nitrogen and high-temperature aging on uniform corrosion of 207

Pressure. See also High pressure

carbon dioxide corrosion scales, effect of temperature and pressure on morphology of 501

Pressurized water reactor steam generator tube

Alloy 600 in chloride solution, effect of temperature on the pitting behavior and passive film characteristics of 745

pressurized water reactor steam generator tubes, pitting corrosion and its countermeasures for 905

Protected steel. See also by name; by type; by UNS number; Steel

cathodically protected steel, does calcareous scale formation affect hydrogen uptake, discussion/reply 947

Protection

nano-Ti particles, enhancement of the protectiveness of epoxy coatings with surface-modified 483

Protective iron carbonate films. See also Films and film formation

protective iron carbonate films, chemical removal by dissolution in single-phase aqueous flow 598

protective iron carbonate films, mechanical removal in single-phase aqueous flow 419

Pulled tube examination

pressurized water reactor steam generator tubes, pitting corrosion and its countermeasures for 905

Pulp and paper industry

black liquor oxidation on the stress corrosion cracking susceptibility of selected materials, effect of 765 **Pyridine derivatives**

carbon steel in an environment like NACE TM0177, effect of some pyridine derivatives on the corrosion behavior of 283

0

Quantitative polymerase chain reaction

microbiologically influenced corrosion using quantitative polymerase chain reaction, rapid detection and quantification of microbes related to 950

R

Radioactive waste

carbon steel exposed to alkaline chloride environments, methods for accessing pitting damage in 801

Reactors. See Boiling water; Nuclear; Reactor materials; Reactor pressure vessel

Reactor materials

supercritical water oxidation-utilized organic waste processing reactors, corrosion performance of metals for 383

Reactor pressure vessel

reactor pressure vessel steels under simulated boiling water reactor conditions, effects of mechanical factors and dissolved hydrogen on the crack growth rates of 403

Real-time polymerase chain reaction

microbiologically influenced corrosion using quantitative polymerase chain reaction, rapid detection and quantification of microbes related to 950

Rebar

corrosion-resistant rebar materials compared to carbon steel, threshold chloride concentrations of selected 892

stainless steel clad rebar, exploratory assessment of corrosion behavior, experimental 822

stainless steel clad rebar, exploratory assessment of corrosion behavior, modeling of galvanic corrosion at cladding breaks 918

Reducing

supercritical water containing hydrochloric acid, corrosion behavior of nickel-based alloys and Type 316 stainless steel in slightly oxidizing or reducing 270

Reflection-absorption infrared spectroscopy

AA2024-T3 alloy, effect of degree of hydrolysis and condensation of bis-[triethoxysilylpropyl] tetrasulfide on the corrosion protection of coated 612

Reformer

Alloy 800H in simulated reforming gas atmospheres, effect of syngas composition on metal dusting of 54

Reinforcing bar

corrosion-resistant rebar materials compared to carbon steel, threshold chloride concentrations of selected 892

Relative humidity

aluminum alloy 7178, effects of relative humidity, temper, stress on exfoliation corrosion kinetics of 956

Repassivation

nickel-based alloys, influence of chromium and molybdenum on corrosion oi 491

welding stainless steel, chromiumfree consumables for optimization of alloy composition based on corrosion behavior 109

Repassivation potential

Alloy 22, influence of black annealing oxide scale on the anodic behavior of 967

Alloy 22 in chloride solutions, effect of fabrication processes, localized corrosion susceptibility of 3

Alloy 22 in sodium chloride, effect of sulfate on the passive and crevice corrosion properties of 340

Resistance. See Corrosion; Polarization; Surface film

Retrofit

depolarized and partially depolarized structure, retrofit cathodic protection design for 584

offshore structures, galvanic anode current and structure current demand determination methods for 162

Rotating cylinder electrode

protective iron carbonate films, chemical removal by dissolution in single-phase aqueous flow 598

protective iron carbonate films, mechanical removal in single-phase aqueous flow 419

Roughness

Type 316L stainless steel in sulfuric acid solution, influence of applied potential on cavitation erosion behavior of 99

S

Sacrifical anodes

thermal-sprayed Zn, Al, and Zn-Al coatings in marine environment, 18-year exposure test of 635

Scale thickness

carbon dioxide corrosion scales, effect of temperature and pressure on morphology of 501

Scanning electron microscopy

Al 5083 samples, comparison of corrosion behavior of nanocrystalline and conventional 152 copper in aqueous lithium bromide concentrated solutions by immersion testing, corrosion of 1018

X-52 line pipe steel, microscopy study of intergranular stress corrosion cracking of 316

Scanning vibrating electrode technique

steam turbine blading steels, pitting corrosion of, influence of chromium content, temperature, chloride ion concentration 231

Scratch

AA2024-T3 exposed at a seacoast environment, experimental and computational evaluation of the protection provided by an aluminum cladding to 251

Seawater. See also Artificial

cathodically protected steel, does calcareous scale formation affect hydrogen uptake, discussion/reply 947

coulostatically induced transients, rapid determination of Tafel slopes by an integral method of

264

depolarized and partially depolarized structure, retrofit cathodic protection design for 584

offshore structures, galvanic anode current and structure current demand determination methods for 162

Seawater corrosion

carbon steel in seawater, 16 years of corrosion behavior of 868

Segregation

Alloy 600, microchemistry of Ticarbonitrides and their role in the early stage of pit initiation of 591

welding stainless steel, chromiumfree consumables for optimization of alloy composition based on corrosion behavior 109

Sensitization

composite tube alloys in a molten sodium sulfide hydrate-sodium hydroxide salt mixture, cracking susceptibility of alternative 624

ferritic stainless steel aged at 800°C, sensitization and pitting corrosion resistance of 1039

Silver and silver alloys. See also Alloys and alloying

silver after a one-month exposure to urban atmospheres, corrosion products formed on 243

Single-phase flow

protective iron carbonate films, mechanical removal in single-phase aqueous flow 419

Sintered

duplex stainless steel manufactured by powder metallurgy, influence of heat treatments on the corrosion resistance of a 84

Slow strain rate tensile test

Type 321 stainless steels under simulated petrochemical conditions containing thiosulfate and chloride, stress corrosion cracking of 781

Slow strain rate testing

supermartensitic stainless steel welds under cathodic protection at very low strain rates, testing of 371

Sludge

pressurized water reactor steam generator tubes, pitting corrosion and its countermeasures for 905

Sodium chloride and solutions

Al 5083 samples, comparison of corrosion behavior of nanocrystalline and conventional 152

cathodically protected steel, does calcareous scale formation affect hydrogen uptake, discussion/reply 947

Type 321 stainless steels under simulated petrochemical conditions containing thiosulfate and chloride, stress corrosion cracking of 781

Sodium hydroxide and solutions copper in alkaline-sulfide solutions,

electrochemical behavior of 121 **Sodium sulfate and solutions**

Al 5083 samples, comparison of corrosion behavior of nanocrystalline and conventional 152

Sodium thiosulfate and solutions

Type 321 stainless steels under simulated petrochemical conditions containing thiosulfate and chloride, stress corrosion cracking of 781

Soil environments

buried pipelines, galvanic sensor for monitoring corrosion damage of, correlation of sensor output to actual corrosion damage of pipeline in soil and tap water environments 522

Solubility

corrosion-resistant alloys for the oil and gas industry, based on spontaneous passivity mechanism, development of 856

Solution heat treatment

Alloy 22, influence of black annealing oxide scale on the anodic behavior of 967

Space-resolved impedance

advanced electrochemical techniques and concepts to corrosion phenomena, application of 1056

Specific surface area

Fe-Cr, Fe-Ni, and Fe-Cu binary alloys, characterization of rusts by Fourier transform infrared and $\rm N_2$ adsorption 559

Splash zone

thermal-sprayed Zn, Al, and Zn-Al coatings in marine environment, 18-year exposure test of 635

Spontaneous passivity

corrosion-resistant alloys for the oil and gas industry, based on spontaneous passivity mechanism, development of 856

Stainless steel. See also Austenitic; by name; by type; by UNS number; Duplex; Duplex austenite-ferrite; Ferritic; Martensitic; Steel; Supermartensitic

14Cr-3Mo martensitic stainless steel, effects of austenitizing treatment on the corrosion resistance of 541

austenitic alloys in supercritical water, corrosion of 989

austenitic stainless steel, Monel (Alloy 400) filler metal, development of a chromium-free consumable for 44

composite tube alloys in a molten sodium sulfide hydrate-sodium hydroxide salt mixture, cracking susceptibility of alternative 624

environmentally assisted cracking in high-temperature water, role of work-hardened surface layer in initiation of 651

intergranular stress corrosion cracking of austenitic stainless steels in hydrogenated hightemperature water, influences of carbide precipitation, cold work, and rolling direction on initiation and growth of 568

stainless steel clad rebar, exploratory assessment of corrosion behavior, experimental 822

stainless steel clad rebar, exploratory assessment of corrosion behavior, modeling of galvanic corrosion at cladding breaks 918

steam turbine blading steels, pitting corrosion of, influence of chromium content, temperature, chloride ion concentration 231

welding stainless steel, chromiumfree consumables for optimization of alloy composition based on corrosion behavior 109

Statistical approach

atmospheric corrosion of engineering materials at two exposure sites in Chennai, a comparative study 883

Steam turbine disc steel. See also by name; by type; by UNS number; Steel

stress corrosion cracks emerging from pits, visualization of 555

Steel. See also Boiler; by name; by type; by UNS number; Carbon; Disc; Electrogalvanized; Galvanized; Pipelines and line pipe; Protected; Stainless; Steam turbine disc; Steel pipe piles

carbon steel in ethanol, stress corrosion cracking of 687 damsissa extract on the corrosion of steel in acidic media, effect of temperature on inhibitive action of 293

Steel pipe piles. See also by name; by type; by UNS number; Steel

thermal-sprayed Zn, Al, and Zn-Al coatings in marine environment, 18-year exposure test of 635

Steel rust

Fe-Cr, Fe-Ni, and Fe-Cu binary alloys, characterization of rusts by Fourier transform infrared and N_2 adsorption 559

Stress corrosion cracking. See also Intergranular; Sulfide stress cracking; Transgranular

AA2024-T3, in situ x-ray radiographic study of stress corrosion cracking in 217

austenitic alloys in supercritical water, stress corrosion cracking of 1100

black liquor oxidation on the stress corrosion cracking susceptibility of selected materials, effect of 765

carbon steel in ethanol, stress corrosion cracking of 687

composite tube alloys in a molten sodium sulfide hydrate-sodium hydroxide salt mixture, cracking susceptibility of alternative 624

near-neutral pH stress corrosion cracking resistance of pipeline steels, relationship between yield strength, an effect of microstructure 129

reactor pressure vessel steels under simulated boiling water reactor conditions, effects of mechanical factors and dissolved hydrogen on the crack growth rates of 403

steam turbine disc steel, effect of stress transients on the crack propagation rate in 508

stress corrosion cracks emerging from pits, visualization of 555

Type 321 stainless steels under simulated petrochemical conditions containing thiosulfate and chloride, stress corrosion cracking of 781

X-52 line pipe steel, microscopy study of intergranular stress corrosion cracking of 316

Stress effects

aluminum alloy 7178, effects of relative humidity, temper, stress on exfoliation corrosion kinetics of 956

Sulfate-reducing bacteria

microbiologically influenced corrosion using quantitative polymerase chain reaction, rapid detection and quantification of microbes related to 950

mild steel under marine anaerobic conditions, pitting corrosion of, experimental observations 981

Sulfate and sulfate solutions

Alloy 22 in sodium chloride, effect of sulfate on the passive and crevice corrosion properties of 340

Sulfide and sulfide solutions

Alloy 600, microchemistry of Ticarbonitrides and their role in the early stage of pit initiation of 591

copper in alkaline-sulfide solutions, electrochemical behavior of 121

Sulfide layers

hydrogen sulfide corrosion by coupling of phase and polarization behavior, modeling of 1092

Sulfide stress cracking. See also Coupling principle

corrosion-resistant alloys for the oil and gas industry, based on spontaneous passivity mechanism, development of 856

linepipe steels, studies on inhibition of hydrogen-induced cracking of 29

X-60 and X-65 pipeline steels, sulfide stress cracking susceptibility of welded 375

Sulfuric acid and acid solutions. See also Acids and acid solutions

duplex stainless steel, effects of nitrogen and high-temperature aging on uniform corrosion of 207

supercritical water oxidation-utilized organic waste processing reactors, corrosion performance of metals for 383

Type 316L stainless steel in sulfuric acid solution, influence of applied potential on cavitation erosion behavior of 99

Sulfuric acid anodizing. See also Acids and acid solutions

antimony and antimony oxide films in acid solutions, electrochemical behavior of 739

Sulfur dioxide and solutions

simulated wood-waste fluidizing bed power boiler environment, corrosion of alloys in a 1132

Supercritical water

austenitic alloys in supercritical water, corrosion of 989

austenitic alloys in supercritical water, stress corrosion cracking of 1100

binary nickel-chromium alloys under conditions found in supercritical water oxidation plants processing chlorinated substances, aspects of the corrosion kinetics for 444

nickel-based alloys in supercritical water applications, compatibility of, aging effects on corrosion resistance and mechanical properties 174 supercritical water containing hydrochloric acid, corrosion behavior of nickel-based alloys and Type 316 stainless steel in slightly oxidizing or reducing 270

Supercritical water oxidation

supercritical water oxidation-utilized organic waste processing reactors, corrosion performance of metals for 383

Supermartensitic stainless steel. See also by name; by type; by UNS number; Stainless steel

supermartensitic stainless steel welds under cathodic protection at very low strain rates, testing of 371

Surface-enhanced Raman spectroscopy

volatile corrosion inhibitors in real time with surface-enhanced Raman spectroscopy, monitoring the adsorption of 1082

Surface film resistance

dual galvanic/surface film resistance sensor, measuring corrosiveness with a 195

Surface modification

nano-Ti particles, enhancement of the protectiveness of epoxy coatings with surface-modified 483

Surface pretreatments

AA2024-T3 at various temperatures, effect of surface pretreatment on the underpaint corrosion of 300

Synthetic gas

Alloy 800H in simulated reforming gas atmospheres, effect of syngas composition on metal dusting of 54

S phase

duplex stainless steel, effects of nitrogen and high-temperature aging on uniform corrosion of 207

T

Tafel extrapolation technique

corrosion processes through superposition of electrochemical partial processes and on potential of mixed electrodes, interpretation of, Classic Paper Series 843

Tafel slope

coulostatically induced transients, rapid determination of Tafel slopes by an integral method of 264

Tantalum and tantalum alloys. See also Alloys and alloying

supercritical water oxidation-utilized organic waste processing reactors, corrosion performance of metals for 383

Tap water environments

buried pipelines, galvanic sensor for monitoring corrosion damage of, correlation of sensor output to actual corrosion damage of pipeline in soil and tap water environments 522

Temperature. See also High temperature

Alloy 22, influence of black annealing oxide scale on the anodic behavior of 967

Alloy 22 in sodium chloride, effect of sulfate on the passive and crevice corrosion properties of 340

Alloy 600 in chloride solution, effect of temperature on the pitting behavior and passive film characteristics of 745

carbon dioxide corrosion scales, effect of temperature and pressure on morphology of 501

copper in aqueous lithium bromide concentrated solutions by immersion testing, corrosion of 1018

rate of corrosion of steel in concrete exposed to carbonation, influence of cement type and temperature on the 811

Temper effects

aluminum alloy 7178, effects of relative humidity, temper, stress on exfoliation corrosion kinetics of 956

Testing. See Auger electron spectroscopy; Corrosion monitoring system; Cyclic voltammograms; **Detection**; Differential pulse polarography; Digital frequency response analysis; Eddy current; Electrochemical impedance spectroscopy; Electrochemical measurements; Electrochemical potentiokinetic reactivation test; Energy-dispersive x-ray analysis; Field exposure test; Focused ion beam microscopy; Fourier transform infrared; Hydrogen content evaluation; Immersion; Nitric acid mass loss test: Polarization resistance technique; Potentiodynamic; Potentiostatic; Pulled tube examination; Reflection-absorption infrared spectroscopy; Scanning electron microscopy; Scanning vibrating electrode technique: Sensitization: Slow strain rate; Slow strain rate tensile test; Statistical approach; Surface-enhanced Raman spectroscopy; Tafel extrapolation technique: Transmission electron microscopy; U-bend immersion test; Weight loss; X-ray diffraction; X-ray fluorescence analysis; X-ray radiography

Thermal-sprayed coatings. See also Coatings

thermal-sprayed Zn, Al, and Zn-Al coatings in marine environment, 18-year exposure test of 635

Thermal spray

zinc-containing coating systems on steel in artificial seawater, corrosion protection assessment of barrier properties of several 323

Thermoelectric power

nickel-copper alloy, assessment of hydrogen-induced precipitation using thermoelectric power 395

Throwing power

AA2024-T3 exposed at a seacoast environment, experimental and computational evaluation of the protection provided by an aluminum cladding to 251

Ti-carbonitrides

Alloy 600, microchemistry of Ticarbonitrides and their role in the early stage of pit initiation of 591

Tidal zone

thermal-sprayed Zn, Al, and Zn-Al coatings in marine environment, 18-year exposure test of 635

Titanium and titanium alloys. See also Alloys and alloying

supercritical water oxidation-utilized organic waste processing reactors, corrosion performance of metals for 383

Titanium nitride and solutions

titanium nitride and titanium-titanium nitride coatings on steel substrates, corrosion behavior of 182

Transgranular cracking

X-52 line pipe steel, microscopy study of intergranular stress corrosion cracking of 316

Transgranular stress corrosion cracking

austenitic alloys in supercritical water, stress corrosion cracking of 1100

Transmission electron microscopy

X-52 line pipe steel, microscopy study of intergranular stress corrosion cracking of 316

Tribocorrosion

tribocorrosion processes under steady-state friction regime, electrochemical noise analysis of 514

Tungsten carbide and solutions

metal matrix composites for corrosion and erosion-corrosion applications in the oilsands industry, assessing 657

Turbine blade

steam turbine blading steels, pitting corrosion of, influence of chromium content, temperature, chloride ion concentration 231 Turbulent single-phase flow

protective iron carbonate films, chemical removal by dissolution in single-phase aqueous flow 598

Turbulent Taylor-Couette flow

protective iron carbonate films, mechanical removal in single-phase aqueous flow 419

Type 304 stainless steel

light water reactors, evaluation of alternate reductants for application in 795

Type 316 stainless steel

supercritical water containing hydrochloric acid, corrosion behavior of nickel-based alloys and Type 316 stainless steel in slightly oxidizing or reducing 270

Type 316L stainless steel

Type 316L stainless steel in sulfuric acid solution, influence of applied potential on cavitation erosion behavior of 99

Type 321 stainless steel

Type 321 stainless steels under simulated petrochemical conditions containing thiosulfate and chloride, stress corrosion cracking of 781

п

U-bend immersion test

Type 321 stainless steels under simulated petrochemical conditions containing thiosulfate and chloride, stress corrosion cracking of 781

Underground corrosion

API 5LX65 steel, influence of humic substances on the corrosion of the 35

Underpaint corrosion

AA2024-T3 at various temperatures, effect of surface pretreatment on the underpaint corrosion of 300

Uniform corrosion

duplex stainless steel, effects of nitrogen and high-temperature aging on uniform corrosion of 207

UNS A95083. See Al 5083 UNS N05500

> nickel-copper alloy, assessment of hydrogen-induced precipitation using thermoelectric power 395

UNS N06022. See Alloy 22

UNS N06600. See Alloy 600

UNS N06625. See Alloy 625

UNS N06690. See Alloy 690

UNS N08825. See Alloy 825

UNS S30400. See Type 304 stainless steel

UNS S31600. See Type 316 stainless steel

UNS S31603. See Type 316L stainless steel UNS S32100. See Type 321 stainless steel

UNS S43000

ferritic stainless steel aged at 800°C, sensitization and pitting corrosion resistance of 1039

Urban atmospheres

silver after a one-month exposure to urban atmospheres, corrosion products formed on 243

V

Void ratio

rate of corrosion of steel in concrete exposed to carbonation, influence of cement type and temperature on the 811

Volatile corrosion inhibitors

volatile corrosion inhibitors in real time with surface-enhanced Raman spectroscopy, monitoring the adsorption of 1082

W

Waste. See High-level radioactive; Nuclear; Organic; Radioactive

Water. See Artificial seawater;
Bound; Groundwater; High-temperature; Hydrogenated high-temperature; Seawater; Supercritical;
Tap water environments

Weight loss

copper in aqueous lithium bromide concentrated solutions by immersion testing, corrosion of 1018

Welding and weldments. See also X-60 steel weldments; X-65 steel weldments

Alloy 22 in chloride solutions, effect of fabrication processes, localized corrosion susceptibility of 3

aqueous lithium bromide concentrated solutions by immersion testing, corrosion of copper in 1117

austenitic stainless steel, Monel (Alloy 400) filler metal, development of a chromium-free consumable for 44

near-neutral pH stress corrosion cracking resistance of pipeline steels, relationship between yield strength, an effect of microstructure 129

supermartensitic stainless steel welds under cathodic protection at very low strain rates, testing

welding stainless steel, chromiumfree consumables for optimization of alloy composition based on corrosion behavior 109

Wood chips

black liquor corrosiveness, role of wood extractives in 911

Wood extractives

black liquor corrosiveness, role of wood extractives in 911

Work-hardened surface layer

environmentally assisted cracking in high-temperature water, role of work-hardened surface layer in initiation of 651

X

X-60 steel weldments

X-60 and X-65 pipeline steels, sulfide stress cracking susceptibility of welded 375

X-65 steel weldments

X-60 and X-65 pipeline steels, sulfide stress cracking susceptibility of welded 375

X70 steel

API X70 steel in hydrogen sulfidecontaining solutions, electrochemical behavior of 433

X-ray diffraction

copper corrosion in a concentrated lithium bromide solution, evolution with exposure time of, characterization of corrosion products by energy-dispersive xray and x-ray diffraction 64

silver after a one-month exposure to urban atmospheres, corrosion products formed on 243

X-ray fluorescence analysis

silver after a one-month exposure to urban atmospheres, corrosion products formed on 243

X-ray radiography

AA2024-T3, in situ x-ray radiographic study of stress corrosion cracking in 217

V

Yates's algorithm

Type 321 stainless steels under simulated petrochemical conditions containing thiosulfate and chloride, stress corrosion cracking of 781

Yield strength

near-neutral pH stress corrosion cracking resistance of pipeline steels, relationship between yield strength, an effect of microstructure 129

Yucca Mountain

high-level nuclear waste containers, assessing the corrosion performance of 703

2

Zinc and zinc alloys. See also Alloys and alloying

thermal-sprayed Zn, Al, and Zn-Al coatings in marine environment, 18-year exposure test of 635

Zinc sacrificial coatings. See also Coatings

zinc-containing coating systems on steel in artificial seawater, corrosion protection assessment of barrier properties of several 323

CORROSION RESEARCH CALENDAR

CORROSION is a technical research journal devoted to furthering the knowledge of corrosion science and engineering. Within that context, CORROSION accepts notices of calls for papers and upcoming research grants, meetings, symposia, and conferences. All pertinent information, including the date, time, location, and sponsor of an event should be submitted as far in advance as possible to: Angela Jarrell, Managing Editor, CORROSION, 1440 South Creek Drive, Houston, TX 77084-4906. Notices that are not accompanied by the contributor's name, daytime telephone number, and complete address will not be considered for publication.

2007

* January 14-16—CoatingsPro 2007 Conference—Orlando, FL; Contact FirstService, Phone: +1 281/228-6223; E-mail: firstservice@nace.org; Web site: http://www.nace.org/coatingspro2007.

January 22-26—World of Concrete—Las Vegas, NV; Contact Brandi Orgeron, Phone: +1 972/536-6392; E-mail: borgeron@ HanleyWood.com; Web site: www.worldofconcrete.com.

* January 24-25—Northeast Corrosion Conference III—Springfield, MA; Contact John Olson, E-mail: john@edicp.com.

February 4-6—The Coatings Summit 2007—Vienna, Austria; Contact Andy Doyle, E-mail: adoyle@paint.org.

* February 12-14—Pipeline Integrity Conference—Anchorage, AK; Contact J.R. Calkins, Phone: +1 907/563-6370; E-mail: j.r.calkins@champ-tech.com.

* Sponsored or cosponsored by NACE International.

February 14-15—10,000 Lakes Pipeline Corrosion Control Seminar—Prior Lake, MN; Contact Marty lozzo, Phone: +1 736/559-5059; E-mail: miozzo@comcast. net.

March 5-7—Chem Middle East 2007—Dubai, United Arab Emirates; Contact International Expo-Consults, E-mail: iec@emirates.net.ae; Web site: www.chemtexmiddleeast.com.

* March 11-15—CORROSION/2007 NACE Conference and Exhibition—Nashville, TN; Contact FirstService, Phone: +1 281/228-6200.

March 26-28—Engineering Integrity Society's 6th International Conference on Fatigue—Cambridge, UK; Contact Engineering Integrity Society, Phone: +44 (0) 262 1155; E-mail: fatigue@e-i-s.org.uk; Web site: www.e-i-s.org.uk/.

May 1-3—41st Annual Western States Corrosion Seminar—Pomona, CA; Contact James Moore, Phone: +1 951/541-0435; E-mail: jemoore55@ nowccs.com or info@ westernstatescorrosion.org; Web site: www.westernstatescorrosion.org.

May 7-10—AISTech 2007—Iron and Steel Technology Conference and Exposition—Indianapolis, IN; Contact Association for Iron and Steel Technology, Phone: +1 724/776-6040; Web site: www. aist.org/.

May 20-24—International Corrosion Engineering Conference—Seoul, Korea; Contact Woon Suk Hwang, Phone: +82 2 539 5869; E-mail: corros@kornet. net; Web site: www.icec2007.com.

June 4-7-Mega Rust 2007, Marine Coatings and Corrosion Conference—San Diego, CA; Contact Karen Chitwood, E-mail: kchitwood@nstcenter.com.

June 11-13—27th Annual International Operating Conference and Trade Show—Houston, TX; Contact ILTA, Phone:+1202/842-9200;E-mail:info@ilta.org.

July 22-26—8th International Conference on Creep and Fatigue at Elevated Temperature—CREEPS—San Antonio, TX; Contact Carl Jaske, Phone: +1614/761-1214; E-mail: cjaske@cctechnologies.com.

